

CVS/Caremark

Implementation Guide

830 Planning Schedule with Release Capability

Version X12-4010

Table of Contents

Introduction:	3
ST Transaction Set Header	4
BFR Beginning Segment for Planning Schedule	5
REF Reference Identification	6
N1 Party Identification	7
LIN Item Identification	8
UIT Unit Detail	9
FST Forecast Schedule	10
SDQ Destination Quantity	11
CTT Transaction Totals	13
SE Transaction Set Trailer	14
Sample Data	15

830 Planning Schedule with Release Capability

Functional Group ID=**PS**

Introduction:

This standard contains the format and establishes the data contents of the Planning Schedule Transaction Set (830) for use within the context of an Electronic Data Interchange (EDI) environment. The planning schedule can be used as a forecast that is represented in "buckets," such as weekly, and include projections of quantities CVS may wish to obtain at future dates.

Forecasts and inventory planning projections are non-binding estimates for planning purposes only and are subject to change. CVS expressly disclaims all warranties, express or implied, and makes no representations about the accuracy of this information.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	ST	Transaction Set Header	M	1		
M	020	BFR	Beginning Segment for Planning Schedule	M	1		
	050	REF	Reference Identification	O	12		
LOOP ID - N1						200	
	230	N1	Name	O	1		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - LIN						>1	
M	010	LIN	Item Identification	M	1		
	020	UIT	Unit Detail	O	1		
LOOP ID - FST						>1	
	410	FST	Forecast Schedule	O	1		n2
	420	SDQ	Destination Quantity	O	50		

Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
	010	CTT	Transaction Totals	O	1		n3
M	020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. QTY is used to specify supplemental quantities relevant to the forecast function. However, QTY is not related to the actual forecast quantity in the FST segments.
2. At least one occurrence of segment FST is required, either in the FST loop or within the SDP loop. These two loops are mutually exclusive.
3. Number of line items (CTT01) is the accumulation of the number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (FST01) for each FST segment.

ST Transaction Set Header

Segment: ST Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:
Business Rules: Variable Name: STST

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 3/3
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

BFR Beginning Segment for Planning Schedule

Segment: BFR Beginning Segment for Planning Schedule

Position: 020

Loop:

Level: Heading

Usage: Mandatory

Max Use: 1

Purpose: To indicate the beginning of a planning schedule transaction set; whether a ship or delivery based forecast; and related forecast envelope dates

Syntax Notes: 1 At least one of BFR02 or BFR03 is required.

Semantic Notes: 1 If BFR01 contains the value "04" (Net Change), BFR09 is required.

2 BFR02 is the identifying number for a forecast assigned by the orderer/purchaser.

3 BFR06 is the forecast horizon start date: The date when the forecast horizon (envelope) begins.

4 BFR07 is the forecast horizon end date: The date when the forecast horizon (envelope) ends.

5 BFR08 is the date forecast generated: The date the forecast data was generated.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	BFR01	353	Transaction Set Purpose Code Code identifying purpose of transaction set <u>Code</u> <u>Name</u> 00 Original	M ID 2/2
	BFR02	127	Reference Identification Sequential Number Assigned by CVS	X AN 1/30
M	BFR04	675	Schedule Type Qualifier Code identifying the type of dates used when defining a shipping or delivery time in a schedule or forecast <u>Code</u> <u>Name</u> BB Customer Production	M ID 2/2
M	BFR05	676	Schedule Quantity Qualifier Code identifying the type of quantities used when defining a schedule or forecast <u>Code</u> <u>Name</u> A Actual Discrete Quantities	M ID 1/1
M	BFR06	373	Date Beginning Date in First FST (CCYYMMDD)	M DT 8/8
	BFR07	373	Date Ending Date in Last FST (CCYYMMDD)	O DT 8/8
M	BFR08	373	Date Data Creation Date (CCYYMMDD)	M DT 8/8

REF Reference Identification

Segment: **REF** Reference Identification
Position: 050
Loop:
Level: Heading
Usage: Optional
Max Use: 12
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification <u>Code</u> <u>Name</u> VR CVS Vendor Number	M ID 2/3
	REF02	127	Reference Identification Value Defined by REF01	X AN 1/30

N1 Party Identification

- Segment:** **N1** Name
Position: 230
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:
 - 1 At least one of N102 or N103 is required.
 - 2 If either N103 or N104 is present, then the other is required.**Semantic Notes:**
Comments:
 - 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 - 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	N101	98 Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual <u>Code</u> <u>Name</u> FR From	M ID 2/3
	N103	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification <u>Code</u> <u>Name</u> "1" Duns Number Qualifier	X ID 1/2
	N104	67 Identification Code Code identifying a party or other code <u>Code</u> <u>Name</u> 001786664 CVS Duns Number	X AN 2/80

LIN Item Identification

Segment: **LIN** Item Identification
Position: 010
Loop: LIN Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To specify basic item identification data
Syntax Notes:

- 1 If either LIN04 or LIN05 is present, then the other is required.
- 2 If either LIN06 or LIN07 is present, then the other is required.
- 3 If either LIN08 or LIN09 is present, then the other is required.

Semantic Notes:

- 1 LIN01 is the line item identification

Comments:

- 1 See the Data Dictionary for a complete list of IDs.
- 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	LIN02	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) <u>Code Name</u> IN Item Number	M ID 2/2
M	LIN03	234 Product/Service ID Identifying number for a product or service CVS Item Number	M AN 1/48
	LIN04	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID <u>Code Name</u> UI Item UPC - U.P.C. Consumer Package Code (1-5-5)	X ID 2/2
	LIN05	234 Product/Service ID Identifying number for a product or service UPC Number or NDC Number	X AN 1/48
	LIN06	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID <u>Code Name</u> UA Case UPC- UA = U.P.C./EAN Case Code (2-5-5)	X ID 2/2
	LIN07	234 Product/Service ID Identifying number for a product or service UPC Number	X AN 1/48

UIT Unit Detail

Segment: **UIT** Unit Detail
Position: 020
Loop: LIN Mandatory
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify item unit data
Syntax Notes: 1 If UIT03 is present, then UIT02 is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>				
M	UIT01	C001	Composite Unit of Measure To identify a composite unit of measure	M				
			<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>PC</td> <td>Pieces</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	PC	Pieces	
<u>Code</u>	<u>Name</u>							
PC	Pieces							

FST Forecast Schedule

Segment:	FST Forecast Schedule
Position:	410
Loop:	FST Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify the forecasted dates and quantities
Syntax Notes:	<ol style="list-style-type: none"> 1 If either FST06 or FST07 is present, then the other is required. 2 If either FST08 or FST09 is present, then the other is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 If FST03 equals "F" (indicating flexible interval), then FST04 and FST05 are required. FST04 would be used for the start date of the flexible interval and FST05 would be used for the end date of the flexible interval.
Comments:	<ol style="list-style-type: none"> 1 As qualified by FST02 and FST03, FST04 represents either a discrete forecast date, the first date of a forecasted bucket (weekly, monthly, quarterly, etc.) or the start date of a flexible interval. 2 FST06 qualifies the time in FST07. The purpose of the FST07 element is to express the specific time of day in a 24-hour clock to satisfy "just-in-time" requirements. As an alternative, the ship/delivery pattern segment (SDP) may be used to define an approximate time, such as a.m. or p.m.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	FST01	380	Quantity Total Item Quantity	M R 1/15
M	FST02	680	Forecast Qualifier Code specifying the sender's confidence level of the forecast data or an action associated with a forecast	M ID 1/1
M	FST03	681	Forecast Timing Qualifier Code specifying interval grouping of the forecast	M ID 1/1
M	FST04	373	Date Beginning Date (CCYYMMDD)	M DT 8/8
	FST05	373	Date Ending Date (CCYYMMDD)	O DT 8/8

SDQ Destination Quantity

Segment:	SDQ Destination Quantity
Position:	420
Loop:	FST Optional
Level:	Detail
Usage:	Optional
Max Use:	50
Purpose:	To specify destination and quantity detail
Syntax Notes:	<ol style="list-style-type: none"> 1 If either SDQ05 or SDQ06 is present, then the other is required. 2 If either SDQ07 or SDQ08 is present, then the other is required. 3 If either SDQ09 or SDQ10 is present, then the other is required. 4 If either SDQ11 or SDQ12 is present, then the other is required. 5 If either SDQ13 or SDQ14 is present, then the other is required. 6 If either SDQ15 or SDQ16 is present, then the other is required. 7 If either SDQ17 or SDQ18 is present, then the other is required. 8 If either SDQ19 or SDQ20 is present, then the other is required. 9 If either SDQ21 or SDQ22 is present, then the other is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 SDQ23 identifies the area within the location identified in SDQ03, SDQ05, SDQ07, SDQ09, SDQ11, SDQ13, SDQ15, SDQ17, SDQ19, and SDQ21.
Comments:	<ol style="list-style-type: none"> 1 SDQ02 is used only if different than previously defined in the transaction set. 2 SDQ03 is the store number. 3 SDQ23 may be used to identify areas within a store, e.g., front room, back room, selling outpost, end aisle display, etc. The value is agreed to by trading partners or industry conventions.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	
M	SDQ01	355 Unit or Basis for Measurement Code	M ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
		<u>Code</u> <u>Name</u>	
		PC Pieces	
	SDQ02	66 Identification Code Qualifier	O ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)	
		<u>Code</u> <u>Name</u>	
		54 Warehouse -See the link for pertinent DC Codes	
		http://cvssuppliers.com/distribution-center-id-table	
		92 Store	
M	SDQ03	67 Identification Code	M AN 2/80
		Code identifying a party or other code	
		CVS DC Code (E.g. W101, F202)	
		Store Number (E.g. 10951, 00212)	
M	SDQ04	380 Quantity	M R 1/15
		Numeric value of quantity	
	SDQ05	67 Identification Code	X AN 2/80
		Code identifying a party or other code	
		CVS DC Code (E.g. W101, F202)	
		Store Number (E.g. 10951, 00212)	
	SDQ06	380 Quantity	X R 1/15
		Numeric value of quantity	

SDQ07	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ08	380	Quantity Numeric value of quantity	X	R 1/15
SDQ09	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ10	380	Quantity Numeric value of quantity	X	R 1/15
SDQ11	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ12	380	Quantity Numeric value of quantity	X	R 1/15
SDQ13	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ14	380	Quantity Numeric value of quantity	X	R 1/15
SDQ15	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ16	380	Quantity Numeric value of quantity	X	R 1/15
SDQ17	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ18	380	Quantity Numeric value of quantity	X	R 1/15
SDQ19	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ20	380	Quantity Numeric value of quantity	X	R 1/15
SDQ21	67	Identification Code Code identifying a party or other code CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	X	AN 2/80
SDQ22	380	Quantity Numeric value of quantity	X	R 1/15
SDQ23	310	Location Identifier Code which identifies a specific location CVS DC Code (E.g. W101. F202) Store Number (E.g. 10951, 00212)	O	AN 1/30

TT Transaction Totals

Segment: **CTT** Transaction Totals
Position: 010
Loop:
Level: Summary
Usage: Optional
Max Use: 1
Purpose: To transmit a hash total for a specific element in the transaction set
Syntax Notes:
1 If either CTT03 or CTT04 is present, then the other is required.
2 If either CTT05 or CTT06 is present, then the other is required.
Semantic Notes:
Comments:
1 This segment is intended to provide hash totals to validate transaction completeness and correctness.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	CTT01	354	Number of Line Items Total number of line items in the transaction set	M N0 1/6

SE Transaction Set Trailer

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes:
Semantic Notes:
Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
M	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Sample Data

Warehouse Sample:

ISA*00* *00* *ZZ*CVS *ZZ*6109719600 *171020*171

9*U*00400*000084886*0*P*~

GS*PS*CVS*6109719600*20171020*1719*96*X*004010~

ST*830*0184~

BFR*00*00**BB*A*20171112*20171118*20171020~

REF*VR*40641~

N1*FR**1*001786664~

LIN**IN*925390*UI*05042844452*UA*00000000000000~

UIT*PC~

FST*64*D*F*20171112*20171118~

SDQ*PC*54*C101*64~

LIN**IN*925390*UI*05042844452*UA*00000000000000~

UIT*PC~

FST*7168*D*F*20171119*20171125~

SDQ*PC*54*L101*3648*M101*1920*O101*1600~

LIN**IN*925390*UI*05042844452*UA*00000000000000~

UIT*PC~

FST*192*D*F*20171126*20171202~

SDQ*PC*54*L101*64*M101*64*O101*64~

CTT*3~

SE*18*0184~

GE*1*96~

IEA*1*000084886~

Store Sample:

ISA*00* *00* *ZZ*CVS *ZZ*6109719600 *171020*171

9*U*00400*000084886*0*P*~

GS*PS*CVS*6109719600*20171020*1719*96*X*004010~

ST*830*0184~

BFR*00*00**BB*A*20171112*20171118*20171020~

REF*VR*40641~

N1*FR**1*001786664~

LIN**IN*925390*UI*05042844452*UA*00000000000000~

UIT*PC~

FST*64*D*F*20171112*20171118~

SDQ*PC*92*10951*64~

LIN**IN*925390*UI*05042844452*UA*00000000000000~

UIT*PC~

FST*7168*D*F*20171119*20171125~

SDQ*PC*92*00212*3648*10951*1920*10152*1600~

LIN**IN*925390*UI*05042844452*UA*00000000000000~

UIT*PC~

FST*192*D*F*20171126*20171202~

SDQ*PC*92*21056*64*31000*64*11123*64~

CTT*3~

SE*18*0184~

GE*1*96~

IEA*1*000084886~